

**155057. TRITICUM AESTIVUM L. Poaceae. Common wheat.**

From Australia. Seeds presented by W. L. Waterhouse, University of Sydney, Sydney, New South Wales. Received June 11, 1946.

*Ghuka.*

**155058. RICINUS COMMUNIS L. Euphorbiaceae. Castor-bean.**

From Argentina. Seeds presented by Enrique C. Clos, División de Exploraciones e Introducción de Plantas, Ministerio de Agricultura, Buenos Aires. Received May 31, 1946.

From Avia Terai, Territory of Chaco.

**155059 to 155073.**

From Japan. Seeds presented by S. Kumazawa, Director of the Imperial Horticultural Experiment Station, Ninomiya, Kanagawa. Received June 6, 1946.

**155059 to 155064. BRASSICA OLERACEA VAR. CAPITATA L. Brassicaceae. Cabbage.**

155059. *Iwate*. Medium-sized flat heads.

155060. *Nakano-wase*. Early, small flat heads.

155061. *Nozaki-gokuwase*. Short growing season.

155062. *Sadaya-bansei*. Large heads produced early when seeded in fall.

155063. *Senshu*. Flat heads with a tinge of red.

155064. *Toyoda-sakigake*. Short growing season.

**155065 to 155070. CUCUMIS SATIVUS L. Cucurbitaceae. Cucumber.**

155065. *Kasagi-sanjaku*. Summer variety.

155066. *Magome*. Spring variety.

155067. *Ochiai*. Spring variety.

155068. *Risyu*. Summer variety.

155069. *Suyo*. Summer variety.

155070. *Taiwan-kema*. Summer variety.

**155071 to 155073. CUCURBITA MOSCHATA Duchesne. Cucurbitaceae. Cushaw.**

155071. *Bizen-chirimen*. Fruits flat; skin warty, rich green, becoming creamy yellow when mature. Late ripening.

155072. *Higata*. Fruit round, flat, and uniform; skin rich dark green. Flesh of sweetly viscous taste. Early ripening.

155073. *Kiji*. Fruits flat, ribbed; skin slightly warted, green turning to brownish yellow when mature. Early ripening.

**155074. RICINUS COMMUNIS L. Euphorbiaceae. Castor-bean.**

From Argentina. Seeds presented by Enrique C. Clos, División de Exploraciones e Introducción de Plantas, Ministerio de Agricultura, Buenos Aires. Received June 4, 1946.

*Ricino, Tártago Sanguineo.*

**155075. CARICA MONOICA Desf. Papayaceae.**

From Peru. Seeds presented by Charles F. Swingle, Estación Experimental de Agricola, Tingo Maria. Received June 6, 1946.

*TM 110. Holloco.* Grown as a vegetable. The leaves, which are cooked as greens, have no bitterness. The fruits, boiled with sugar and a little lime, resemble apricots in flavor.

**155076. CHENOPODIUM QUINOA Willd. Chenopodiaceae. Quinoa.**

From Peru. Seeds presented by S. C. Harland, Institute of Cotton Genetics, Lima. Received May 15, 1946.

Collected near Temuco, Chile.