

**319525 to 319533—Continued**

319532. E.C. 37053. 'Pin-Din-Kuaw'.

319533. I.C. 193. 'Nanking No. 417'.

**319534 to 319538. GLYCINE MAX (L.) Merr. Leguminosae.****Soybean.**

From Japan. Seeds of Chinese origin collected in 1964 from the China Economy-Trade Exhibition, Chuo-ku, Tokyo. Presented through the American Soybean Association. Numbered Apr. 10, 1967.

319534. 'Hoshu No. 4'.

319537. 'Tono No. 1'.

319535. 'Keisanboku'.

319538. No. 6014.

319536. 'Shika No. 4'.

**319539. ORYZA SATIVA L. Gramineae.****Rice.**

From Thailand. Seeds presented by R. Purnariksha, Sukhunvir, Bangkok. Numbered Apr. 10, 1967.

No data.

**319540. LITCHI CHINENSIS Sonner Sapindaceae.****Lychee.**

From Madagascar. Seeds presented by Luis Marden, National Geographic Society, Washington, D. C. Received Apr. 10, 1967.

From Tananarive.

**319541 to 319547. IPOMOEA BATATAS (L.) Lam. Convolvulaceae.****Sweetpotato.**

From Taiwan. Tubers presented by the Plant Industry Division, Joint Commission on Rural Reconstruction, Taipei. Received Apr. 17, 1967.

319541. C41-5. (Tainung No. 17 × Nancy Hall). Vines moderately large, medium long, stems dark green with purple. Leaves cordate, green with reddish purple base. Roots pear-shaped spindle; skin light brown; flesh deep orange; vitamin A 7,800 I.U./100 grams; quality very good to excellent; dry matter 29 to 31%.

319542. C41-74. (Tainung No. 17 × Nancy Hall). Vines slightly small, long, 1.5 to 2.0 meters; stems light green with purple, hairy. Leaves cordate. Roots light yellow brown; long spindle in shape; flesh orange yellow, quality very good; dry matter 29 to 30%.

319543. Tainung No. 27. (American Yellow Skin × White Holland). Vines small, medium long, slightly hairy; stems yellow green, tinged reddish purple. Leaves three lobed. Roots orange yellow; spindle shaped, small to medium in size, flesh light yellow; quality very good; dry matter 36.6 to 38.8%. Medium maturity; resistant to *Fusarium* and contracted disease (*Sphaceloma batatas* Sawada).

319544. Tainung No. 44. (Foreign variety × Tainung No. 14). Vines moderately large, long, 70 to 100 centimeters; stem reddish purple, smooth. Leaves 3- or 5-lobed. Roots russet brown; pear shaped, short spindle; flesh light yellow; quality very good; dry matter 36.2%.

319545. Tainung No. 57. (Tainung No. 27 × Nancy Hall). Vines short, slightly hairy; stems coarse, internodes short. Leaves 5-lobed, green with light purple base. Roots yellow brown; fusiform shaped, regular; flesh orange yellow; quality excellent; dry matter 30.4 to 37.7%; vitamin A 2,280 I.U./100 grams. Early maturity, wet tolerant; resistant to *Fusarium*.

319546. Tainung No. 17. (Red Meat × Cake Potato). Vines moderately large, long, slightly hairy; stems yellow green. Leaves 3-lobed or entire, green with deep reddish purple base. Roots reddish purple, long spindle shaped, regular; flesh white; dry matter 36.4 to 40.7%; quality very good. Late maturity, wet tolerant.