

40627 to 40644—Continued.**40640. CHRYSANTHEMUM MAXIMUM Ramond.**

"This perennial species has narrower leaves than *C. lacustre*, and they are narrowed at the base; height, 1 foot; stems more angled than the above, simple or branched at the base, always 1-headed and leafless for 3 to 4 inches below the head; lower leaves petioled, wedge shaped at the base, or long oblanceolate; the upper leaves becoming few, lanceolate, but usually not very prominently pointed, the teeth not very large or striking; pappus, none; involucreal scales narrower and longer, whitish transparent at the margin, while those of *C. lacustre* are broader, more rounded at the apex, and with a light-brown scarious margin. Pyrenees." (*Bailey, Standard Cyclopaedia of Horticulture, vol 2, p. 757.*)

40641. CHRYSANTHEMUM MYCONIS L.

Plant erect or ascending, glabrous or pubescent, simple or strictly branched. Leaves serrate; the lower petiolate, obovate-cuneate; the upper semiclasping, obovate-oblong, oblong, or linear. Rays yellow. Mediterranean region. (Adapted from *Hálacsy, Conspectus Florae Graecae, vol. 2, p. 69, 1902.*)

40642. CHRYSANTHEMUM PALLENS Gay.

Plants erect, more or less hispid, one to few headed. Lower leaves petiolate, obovate-cuneate, crenate; the others sessile, ligulate, dentate, or the uppermost often entire. Rays white. Europe. (Adapted from *Hálacsy, Conspectus Florae Graecae, vol. 2, p. 68, 1902.*)

40643. CHRYSANTHEMUM PARTHENIUM (L.) Bernh. Feverfew.

"Glabrous strong-scented perennial, 1 to 3 feet, much branched in the taller forms; leaves ovate or oblong-ovate in outline, pinnatisect or bipinnatisect, smooth or lightly pubescent; segments oblong or elliptic-oblong, pinnatifid or cut, the uppermost more or less confluent; flower heads small, many stalked, corymbose; disk yellow; rays white, oblong, equaling or exceeding the disk. Europe to the Caucasus." (*Bailey, Standard Cyclopaedia of Horticulture, vol. 2, p. 756.*)

40644. CHRYSANTHEMUM PRAEALTUM Vent.

See S. P. I. No. 40545 for previous introduction and description.

40645 to 40649. HORDEUM VULGARE L. Poaceæ. Barley.

From Backe, Kramfors, Sweden. Presented by Mr. J. Mannerheim, director, Kramfors Joint Stock Company. Received May 8, 1915. Quoted notes by Mr. Mannerheim.

40645. "Grain introduced from Snanse, Norway, 36 years ago. Since that cultivated near the Tåsjöberg."

40646. "Grain from Backe village in Fjällsjö Parish. Whence the grain originally came, the farmers can not say. It has nevertheless now been sown for over 30 years from its own seed."

40647. "Grain cultivated at Alanäs parsonage and the seed brought from Jormvattnet, Frostvikens Parish, about 10 years ago."

40648. "This grain has grown for many years in Bergvettnets village, Dorotea Parish, on the farm of J. Gustafson. This grain sprang from a variety the name of which is not given."

40649. "The grain came from Aldernas village, Tåsjö Parish, and has grown in Risböck on the farm of Th. Tjåuden for three years."